



Base Database Service - Standard Edition - ECPU

All-in-One Datasheet Produced by DB Services Explorer

Overview

Oracle Standard Edition 2 on an elastic VM, managed using the Console, APIs, CLIs, Enterprise Manager, or SQL Developer. Standard Edition 2 includes Multitenant for up to three Pluggable Databases (PDBs), Machine Learning, and Spatial and Graph. Deploy up to 32 ECPUs. All of the Base Database Service editions include Data Safe and Oracle Database Transparent Data Encryption (TDE).

Visit the [DB Services Explorer Portfolio page](#) to get the latest version of this data sheet and see data sheets for all of the Oracle Cloud Database services.

Deployment

Database Type	Single Database
Management Model	Co-managed PaaS
Supported Cloud Environments	Oracle Cloud Infrastructure, Oracle Database@Azure and Oracle Database@Google Cloud
SKUs for starting configuration	B111585 (ECPU) or B111588 (ECPU BYOL) B111584 (DB storage) Backups - Oracle Database Autonomous Recovery Service - B95240 or Oracle Database Zero Data Loss Autonomous Recovery Service - B95241
Oracle AI Database BYOL Support	BYOL Standard Edition (SE)
DB Versions Supported	Oracle AI 26ai (Long-term release), Oracle 19c (Long-term release) (Oracle DB@Azure, Oracle DB@Google Cloud only)
Hardware Infrastructure	Shared General Purpose

Usage Models

Recommended Workloads	Blockchain Graph Mixed Workload (Transaction + Analytics) Transaction Processing (OLTP) Vector
Recommended Data Models	Document Store (JSON) Document Store (XML) NoSQL

	Spatial Text Vector
Certified Oracle Applications	JD Edwards EnterpriseOne Tools 9.2.9.3 and later Oracle APEX AI Application Generator Oracle Fusion Middleware 14.1.2.0.0 Siebel Enterprise Server 25.2 and later

Capacity

Configuration Options	Base Database Service supports flexible shapes. When you create an instance using a flexible shape, you select the number of ECPU's that you require for the workloads that run on the instance. Flexible shapes let you customize the number of ECPU's allocated to the instance. This flexibility lets you build instances that match your workload, enabling you to optimize performance and minimize cost. The amount of memory allowed is based on the number of ECPU's selected.
CPU Range	4 to 32 ECPU's in increments of 4
Shapes	VM.Standard.x86 ECPU's: 4 to 256 Max DB TB: 40
CPU scaling	Offline
Storage scaling	Online
Max IOPs	8K: 128k
Max Throughput	1000 MBPs
Max Memory	8 GB per 4 ECPU's up to 64 GB

Availability

Nines of availability (may require configuration)	99.9 SLO
Oracle DB Maximum Availability Architecture medals (for OCI / Cloud@Customer deployments)	Bronze
Automated backups max retention	up to 95 days
Long-term backup retention (up to 10 years)	Yes

Functionality Included

Included Oracle DB Options for license-included service (*)	Spatial and Graph
Included Oracle EM Packs for license-included service (*)	None
Free Add-Ons (no extra licensing required)	Oracle APEX AI Application Generator Oracle Data Safe Oracle GoldenGate 1) Limited Use Term License Promotion and 2) Oracle GoldenGate Database Migration Term (both available on Oracle Cloud Marketplace) Oracle REST Data Services (ORDS) SQL Developer Web

*Check service documentation for feature availability and limitations

Locations

Oracle Cloud Infrastructure

APAC: AU Gov Southeast - WGA, Chuncheon - YNY, Hyderabad - HYD, Melbourne - MEL (G), Mumbai - BOM (G), Osaka - KIX, Seoul - ICN (A), Singapore - SIN (A, G), Singapore West - XSP, Sydney - SYD (G), Tokyo - NRT (A, G)

EMEA: Abu Dhabi - AUH, Amsterdam - AMS (A), Dubai - DXB, EU Sovereign Central - STR, EU Sovereign South - VLL, Frankfurt - FRA (A, G), Jeddah - JED, Jerusalem - MTZ, Johannesburg - JNB (A), Jovanovac - BEG, London - LHR (A, G), Madrid - MAD (G), Madrid 3 - ORF, Marseille - MRS, Milan - LIN, Newport - CWL, Paris - CDG, Riyadh - RUH, Stockholm - ARN, Turin - NRQ, UK Gov South - LTN, UK Gov West - BRS, Zurich - ZRH (G)

LAD: Bogota - BOG, Monterrey - MTY, Queretaro - QRO, Santiago - SCL, Sao Paulo - GRU (G), Valparaiso - VAP, Vinhedo - VCP (A)

North America: Ashburn - IAD (A, G), Chicago - ORD, Montreal - YUL (G), Phoenix - PHX (A, G), San Jose - SJC (A), Toronto - YYZ (A, G), US DoD East - RIC, US DoD North - PIA, US DoD West - TUS, US Gov East - LFI, US Gov West - LUF

* New services and hardware generations are rolled out across regions, check your region for current status. (A) = Interconnect to Microsoft Azure available. (G) = Interconnect to Google Cloud available

Azure

APAC: Japan East, Southeast Asia

EMEA: Germany West Central, Italy North, UK South, UK West

LAD: Brazil South

Google Cloud

None to date. Visit the Multicloud Updates page (link below) to check on potential roadmap items.

AWS

None to date. Visit the Multicloud Updates page (link below) to check on potential roadmap items.

[Multicloud Updates](#)

Operational Controls

Allows installing additional software/agents on the host	Yes
Allows installing OS packages	Yes
Allows kernel changes	No
Allows OS runtime changes	Yes
Allows sysdba access	Yes
Oracle operator access control	No
Control DB patch level	Yes
Control DB release update (RU) level	Yes
Control DB version	Yes
Control maintenance window	Yes
Preview and Validate Patches for Zero-Regression SLO	No

Additional Information

Open Source DB	No
Delta Sharing / Cloud Links	No
Select AI to Generate SQL from Natural Language Prompts	No
Mongo-compatible API	Yes
Supports non-CDB home	No

Reference Links

General

[Multicloud Interconnect](#)

[Oracle PaaS and IaaS Universal Credits Service Descriptions](#)

[Service Level Objectives](#)

[Oracle DB Maximum Availability Architecture medals](#)

[Oracle Cloud Infrastructure Compliance](#)

[Oracle Database Releases](#)

[BYOL FAQ](#)

[OCI Locations and Status](#)

[Oracle Database Multicloud Regions, Capabilities, Compliance, High Availability and Migration](#)

Service Specific

[BaseDB SE - ECPU Customer References](#)

[Cost Estimator](#)

[Database Cloud Service - Virtual Machine](#)

[Key concepts about the Oracle Database@Azure service and resources](#)

[Oracle Database Cloud Migration](#)

[Using Oracle Database@Google Cloud to run Oracle Databases in your existing Google Cloud environment.](#)